



LAMINATED


MOULDED PANEL DOORS

WHY DURIAN DOORS

Durian has been a leading interior service provider with a wide range of products, distinctive styles, dedicated design and research team. We have always believed in evolving with the changing choices of our customers and embracing innovation. Our Manufacturing has expanded to include an extensive range of doors that can be customized to suit our specific requirements. Trusted by Millions of customers, we provide unique design and high quality doors that ensures long lasting security & durability.

ONE OF INDIA'S LEADING EXTERIOR AND INTERIOR SOLUTIONS PROVIDER

Durian is one of India's leading providers of interior and exterior surface solutions with over 4 decades of experience in the industry. At Durian, we believe that innovation, passion and experience go hand in hand.



A COMPLETE ONE STOP SOLUTION FOR ALL YOUR INTERIORS

Durians strengths come from its offerings in products and services, efficiencies in manufacturing, distribution network, brand equity and above all a young and motivated team of professionals.

9+ MANUFACTURING UNITS 14 COUNTRIES WE EXPORT TO

We operate 9+ manufacturing units with our products being distributed locally and exported to over 14 countries globally.



4 DECADES OF EXPERTISE & KNOWLEDGE OVER 1 MILLION DURIAN DOORS INSTALLED ACROSS INDIA

From veneer to plywood, home to office furniture, modular furniture to projects, doors, door frames and workspace solutions, we bring over 4 decades of knowledge and expertise in crafting your everyday spaces.

LAMINATED MOULDED PANEL DOORS WARRANTY



*Conditions Apply



*Conditions Apply

LONGSTANDING SECURITY & DURABILITY

We provide doors with best of the warranties in the industry. We believe strongly in our products. We have a PAN India network to serve our clients across country in case any problem arises.



LAMINATED MOULDED PANEL DOORS

Our Laminated moulded panel doors are bestowed with advantages like beauty and durability that offers a perfectly smooth surface with matching bifolds to suit any decor. Available in the widest range of dimensions, these give total flexibility of application of the laminate on the door face. Being prefinished gives them the added advantage of easy usage. The imported laminated skins used in our designs match Indian climatic conditions which make it weatherproof.



AVAILABLE THICKNESS

- Standard Thickness : 30 mm, 35 mm
- Thickness Available on request : 32 mm, 38 mm, 40 mm, 45 mm, 50 mm

TECHNICAL SPECIFICATIONS

FRAME:


- All frames are made of Imported Pinewood
- Seasoned Frame
- Frames made from Single Piece wood
- Klin Dried Seasoned Frame

FILLER:

- Imported Pine Wood
- Engineered Board

All wood is fully seasoned through Kiln Chamber to avoid warping & bending

CORE:




Physical Properties of HDF	Unit	Thickness 3.2 mm
		Type UF (Melamine Urea) Formaldehyde Resin Type)
Density	Kg. / m3	800 - 1000
Moisture Content	%	5 - 11
Thickness Swelling (20 C, 24 hrs.)	%	< 25 <15
Thickness Tolerance	mm.	3.2 + 0.5
Width & Length Tolerance	mm. / m	+ 2.0
Squareness	mm. / m	+ 3.25

LAMINATED MOULDED PANEL DOORS:




AMAZE



Available in Colour
Teak




ICON



Available in Colour
Cherry




ELEGANCE



Available in Colour
Walnut
Teak
Cherry


LAMINATED MOULDED PANEL DOORSKINS DIMENSION:

ELEGANCE




Colour	Size in inches	Mould Area in mm			Minimum Height in inches	Minimum Width in inches	Maximum Height in inches	Maximum Width in inches
		A	B	B				
Walnut	32.68"	454	188	188	72"	26"	84"	32"
Walnut	40"	552	234	234	72"	26"	84"	39.5"
Walnut	46"	640	265	275	72"	26"	84"	45.5"
Teak	32.68"	454	188	188	72"	26.5"	84"	32"
Teak	40"	550	235	235	72"	26.5"	84"	39.5"
Cherry	40"	556	232	232	72"	28.5"	84"	39.5"
Cherry	32.68"	454	188	188	72"	28.5"	84"	32"

ICON



Colour	Size in inches	Mould Area in mm			Minimum Height in inches	Minimum Width in inches	Maximum Height in inches	Maximum Width in inches
		A	B	B				
Cherry	40"	556	232	232	72"	28.5"	84"	39.5"

AMAZE



Colour	Size in inches	Mould Area in mm			Minimum Height in inches	Minimum Width in inches	Maximum Height in inches	Maximum Width in inches
		A	B	B				
Teak	32.68"	458	186	186	72"	26"	84"	32"
Teak	40"	558	235	227	72"	26"	84"	39.5"


OVERALL HEIGHT

Minimum Height of Door		Maximum Height of Door		Minimum Width of Door		Maximum Width of Door	
Inches	MM	Inches	MM	Inches	MM	Inches	MM
72	1828.8	84	2133.6	26	660.4	45.5	1155.7






LAMINATE COLOUR OPTIONS



Cherry

Doors Available in

Elegance
Icon



Walnut

Doors Available in

Elegance



Teak

Doors Available in

Elegance
Amaze

FIXING & SETUP GUIDELINE

INSTALLATION GUIDELINES



- Doors can be cut on all the sides up to 12mm per side. Trimming should be done on both sides equally.
- Subsequent to trimming all sides should be primed or sealed with wood sealant and must be applied immediately.
- Bottom of the door must be painted / polished before installation of the door is done.
- Hinges must be aligned before fitting the door, to avoid bending. It is recommended that you fix two hinges in the upper portion on the door with a gap of 6 inches from each other and by leaving a gap of 12 inches from the top, for the first hinges. The rest of the hinges should be placed equal distance in the rest of the door length.
- We will not be held liable for any of the damages due to the wind or any external forces.
- If the doors are trimmed more than 12mm in width or height from any side the manufacturing warranty shall be void and Durian shall not be responsible for the same.
- Bathroom doors must be fitted with teak or hardwood lipping at the bottom to prevent moisture absorption. If not followed manufacturing warranty shall become void and Durian shall not be responsible for the same.
- 3mm space between the frame and door must be provided on all sides of the door shutter. This is to accommodate minor movements of the door frames.




STORAGE GUIDELINES

- Store flat on a level surface in a clean, dry, well ventilated building. Protect from dirt, water and abuse. Allow air circulation. Cover the top door with a moisture barrier.
- Doors should not be subjected to abnormal or sudden variations in heat, dryness or humidity, and should not be exposed to direct sunlight. Recommended humidity and temperature are 25% - 55% RH and 50°F - 90°F (10°C - 32°C).



WARNING

- Distortion Warping, bowing and waviness, can appear as a result of incorrect topcoat (paints or stains), improper finishing techniques and or finishing conditions. These are caused by but are not limited to incorrect topcoat, watered down paints, high humidity environments, excessive application of paints, and doors not being acclimated properly
- Please read and understand the entire procedure before attempting to finish your doors. Be sure to follow the coating manufacturer's warnings and instructions on all product labels. Durian does not warrant any coating unless applied by Durian. Any damage caused by or resulting from the application of a stain or paint will void the door warranty.
- Durian gives warranty only for its product. If it is found that there is a manufacturing defect, Durian shall repair only for its product and will not be responsible for any value addition what so ever.
- The decision of Durian Technical team in determining whether a defect is a manufacturing defect or an application defect will be treated as final.



OUR CLIENTS

GOVERNMENT SECTOR:

- AMDAVAD MUNICIPAL CORPORATION
- BHARAT HEAVY ELECTRICALS PVT LTD.
- BHARAT ELECTRONICS LTD.
- BOMBAY DOCKYARD - NAVAL DOCKYARD
- CENTRAL LABOUR INSTITUTE
- CENTRAL PUBLIC WORKS DEPARTMENT BOARD OF INDIA
- EXPORT CREDIT GUARANTEE CORPORATION OF INDIA
- EMPLOYEES PROVIDENT FUND ORGANIZATION
- GAIL (INDIA) LIMITED
- INDIAN OIL CORPORATION LTD.
- IIT - INDIAN INSTITUTE OF INFORMATION TECHNOLOGY
- MAHANAGAR TELEPHONE NIGAM LTD.
- MAZAGAON DOCK SHIPBUILDERS LTD.
- MINISTRY OF RAILWAYS
- NATIONAL REMOTE SENSING CENTRE
- NATIONAL BUILDINGS CONSTRUCTIONS CORPORATION LTD.
- NUCLEAR POWER CORPORATION OF INDIA LTD.
- OIL & NATURAL GAS CORPORATION LTD.
- ONGC MANGALORE PETROCHEMICALS LTD.
- POWER GRID CORPORATION OF INDIA LTD.
- ROADS & BUILDING DEPARTMENT - GUJRAT
- RTI - RIGHT TO INFORMATION
- STEEL AUTHORITY OF INDIA - SAIL
- SHIPPING CORPORATION OF INDIA
- WESTERN RAILWAY

HEALTHCARE:

- LILAVATI HOSPITAL & RESEARCH CENTRE
- MANIPAL HOSPITALS
- RAJIV GANDHI SUPER SPECIALITY HOSPITAL
- SEVEN HILLS HOSPITAL
- TATA MEMORIAL CENTRE

HOSPITALITY:

- GRAND HYATT
- MARINA HOTEL
- SHELL INN INTERNATIONAL LTD.
- TAJ INTERNATIONAL
- TOLLYGUNGE CLUB
- VIVANTA BY TAJ
- WADHWANI HOTEL

INFRASTRUCTURE:

- IVRCL INFRASTRUCTURES & PROJECTS LTD.
- LANCO INFRATECH LTD.
- MITTALS GROUP
- PETROFAC ENGINEERING INDIA PVT. LTD.

REAL ESTATE:

- ACCURATE DEVELOPERS PVT LTD.
- ADANI TOWNSHIP & REAL ESTATE COMPANY PRIVATE LIMITED.
- ANTRIKSH DEVELOPERS PVT LTD
- A TO Z DEVELOPERS PVT LTD
- D.N. HOMES PRIVATE LIMITED
- GAURSONS INDIA LTD
- GODREJ SUMMIT BY GODREJ PROPERTIES
- GVK
- HIRANANDANI DEVELOPERS
- INDIABULLS REAL ESTATE
- LANDCRAFT DEVELOPERS PVT LTD.
- MAYFAIR HOUSING PVT LTD
- NEEDHI SHRI DEVELOPERS PVT LTD.
- NEEV INFRASTRUCTURE PVT LTD.
- NEPTUNE GROUP - PROJECT SWARAJYA
- PARAS GROUP
- PROVIDENT HOUSING LTD.
- RAJDEEP BUILDCON PVT LTD.
- RAMKY INFRASTRUCTURE LTD.
- RAMPRASTHA GROUP
- SAI SRI CONSTRUCTIONS PVT.LTD.
- SARLA HOLDINGS PVT LTD.
- SHREE ENERGY DEVELOPERS PVT.LTD.
- SHAPOORJI PALLONJI & CO. LTD.
- SKA REALTECH PVT. LTD.
- SVP INDIA LTD.
- TATA REALTY & INFRASTRUCTURE LTD : (TRIF KOCHI PROJECTS PVT LTD).
- TDI INFRASTRUCTURE LTD.
- THARWANI REALTY
- TRIDENT REALTY
- UMANG REALTECH PVT LTD.
- WAVE INFRATECH PVT LTD.
- VADAN INTERIORS PVT LTD.

OTHERS:

- 91SPRINGBOARD
- ABSOLUTE INTERIORS
- AMBUJA CEMENT LTD.
- U.S CONSULATE
- BINANI INDUSTRIES LTD.
- BIRLA INSTITUTE OF TECHNOLOGY & SCIENCE (BITS)
- DSP DESIGN ASSOCIATES PVT.LTD.
- DSP DESIGN ASSOCIATES PVT.LTD.
- COLGATE PALMOLIVE
- CONTINENTAL INDIA PVT LTD.
- FUTURE GROUP
- HALMA INDIA PVT LTD.
- HOME SOLUTION RETAIL (I) LTD.
- HYDAC (INDIA) PVT LTD.
- INDIAN INSTITUTE OF MANAGEMENT, UDAIPUR
- IRCON INTERNATIONAL LTD.
- ISKCON
- JOTUN PAINTS
- LANCO INFRATECH LTD.
- MAFATLAL GROUP - MAFATLAL INDUSTRIES LTD.
- MAHINDRA & MAHINDRA LTD.
- MAKE MY TRIP
- MANAGEMENT DEVELOPMENT INSTITUTE - MDI
- MATOSHRI VIDYAMANDIR
- MERU CABS
- MINDA CORPORATION LIMITED.
- MITSUI OSK LINES LTD.
- MITTAL PROCESSOR PVT LTD.
- NATIONAL MUSEUM OF INDIAN CINEMA
- NICHOLAS PIRAMAL INDIA LTD - PIRAMAL GROUP
- NTPC LTD.
- PANTALOON RETAIL (INDIA) LTD.
- PDS MULTINATIONAL
- RAJASTHAN VIDYARTHI GRIHA EDUCATIONAL FOUNDATION
- RAJASTHANI SAMMELAN EDUCATION TRUST
- RAYMONDS LTD.
- RELIANCE CORPORATE IT PARK LTD.
- RELIANCE INDUSTRIES LTD
- S. OLIVER
- THE BOMBAY PRESIDENCY RADIO CLUB LIMITED.
- THE KHAITAN SCHOOL
- THOMSON PRESS (I) LIMITED
- TUPPERWARE
- UNESCO - UNITED NATIONS EDUCATIONAL, SCIENTIFIC AND CULTURAL ORGANIZATION
- UTI INFRASTRUCTURE TECHNOLOGY AND SERVICES LTD.
- WINDALS PRECISION PVT LTD

OUR NETWORK



- LAMINATES
- PLYWOOD
- DOOR
- VENEER
- SHOWROOM

DOOR RANGE:

- Flush Door
- Solid Moulded Panel Door
- Moulded Panel Door
- Solidwood Door
- Primer Door

OTHER PRODUCT RANGE:

PLYWOOD | **VENEER** | **DOORS**

AWARDS & RECOGNITION:



Promising Brands

Acknowledged by The Economic Times as India's Most Promising Brand for 2019



Power of trust

Awarded the Power of Trust by the TRA in 2018 for our dedicated efforts in building long term customer relationships



CEO Insights

Recognised as one of the 25 most promising companies in 2018



Power Brand of the Year

Chosen by the Indian Consumer as the Power Brand of India in 2011

CERTIFICATIONS:



The mark of responsible forestry
Ask for our FSC-certified products



DISCLAIMER:

Company's liability is limited to replacement / repair of its product only and no other cost will be reimbursed of whatsoever nature by us.



DOORS

DURIAN INDUSTRIES LIMITED

Corporate Office: 401, The Summit, Hanuman Road,
W.E. Highway, Vile Parle (E), Mumbai - 400 057, India

Email: customersupport@durian.in

www.durian.in

 **1800 22 3242**

