

SHOWER ENCLOSURES



MAKES THE
WORLD GO 



SWING SHOWERS

SLIDING SHOWERS

SLIDE FOLD SHOWERS

COMPLETE
SHOWER SYSTEM FOR
SHOWER ENCLOSURES


MRP w.e.f. Feb'26

Edition #1.2



AUTOMATED STATE-OF-THE-ART Manufacturing Facilities

Our manufacturing units are equipped with the latest CNC Machines, Hi-Tech Laser Machines, Water-Jet Cutting Machines, and Automatic Polishing and Robotic Welding Machines to deliver consistent finishes. All units have unique operations that work together continuously at maximum efficiency. Each product is checked for quality and perfection, ensuring the highest level of customer satisfaction.




Scan QR Code for
Manufacturing Facility

Cluster-1
Kala Amb,
Himachal Pradesh,
India




VMC (Vertical Machine Centre)



Polishing Machine



CNC Punching Machine



Welding Centre

Innovation for **total** VISION™

Ozone embraces the concept of 'Total Vision' to create transparent and elegant commercial spaces, with every fitting in our Architectural Glass Hardware range designed accordingly. As a dynamic company, Ozone offers a wide array of standard and customized Architectural Hardware Solutions. Our solution-centric approach has propelled us from a startup to a leading brand in the industry, supplying high-quality products to over 45 countries worldwide, all with relevant certifications for global markets.

Manufacturing Capabilities

Our state-of-the-art manufacturing facilities, along with design capabilities, allow us to offer OEM services both in India and Internationally. We provide stainless steel OEM services for the production of casted, machine turning, and sheet metal components in all grades of stainless steel and other metals.



Cluster-2
Ghiloth,
Rajasthan Industrial Area,
India



Thoughtful Solutions Trusted Spaces

25+
YEARS

6000+
PRODUCTS

45+
COUNTRIES

Since 1999, Ozone has been more than a hardware brand, it has been a trusted partner in shaping modern living. From creating high-quality locks to becoming a leader in architectural hardware, our journey has been defined by innovation, durability, and design excellence.

Over the last 25+ years, Ozone has:

1. Set new benchmarks in architectural hardware
2. Expanded into UPVC & Aluminium Doors and Windows and Glass Processing Units
3. Built a reputation for quality you can trust and designs that transform spaces

Today, as we celebrate this milestone, we stand proud with state-of-the-art manufacturing facilities, a global outlook, and a vision to continue transforming everyday living with innovation, quality and convenience.

25+ Years of Quality. Convenience. Innovation

Ozone Experience Centres

Explore the new world of Ozone with a diverse range of products, including glass fittings, security solutions, door hardware, partition systems, kitchen & furniture fittings, shower enclosures, wardrobes, automatic doors, and more-all under one roof!

Ozone empowers architects, builders, and homeowners to touch, feel, and explore each product firsthand. With a focus on quality and customization, our vast range of products and solutions can be tailored to meet specific needs and requirements. We ensure every solution meets and exceeds expectations, providing the perfect blend of functionality, style, and security.

Visit us and experience the future with Ozone!



Ozone Experience Centre New Delhi

Mehrauli-Gurgaon Road,
Opp. Metro Pillar No. 94,
Gadaipur, Sector - 28,
New Delhi 110030



Ozone Experience Centre Bengaluru

Building No. 62, Asha Pearl,
100 Feet Rd, Defence Colony,
Indiranagar, Bengaluru,
Karnataka 560038



Ozone Experience Centre Mohali

259-260, Ground Floor,
Mohali City Center-2, Block F,
SAS Nagar, Gmada Aerocity,
Sahibzada Ajit Singh Nagar,
Punjab 140306

Our Product Range

For over two decades, Ozone has offered Architectural Hardware Solutions with a diversified portfolio of more than 6000 products. These products are tested and certified internationally for quality, functionality, and performance.

Architectural Hardware

GLASS FITTINGS



SHOWER ENCLOSURES



GLASS RAILING SYSTEMS



AUTOMATIC DOORS



Glass Partition Systems

SLIM FRAME DOORS



OFFICE (K-LITE)
PARTITION SYSTEMS



EAZY
PARTITION SYSTEMS



OUTLINER
SERIES



Door Hardware, Kitchen & Furniture Fittings

DOOR
HARDWARE



DOOR
CLOSERS



KITCHEN &
FURNITURE FITTINGS



WARDROBE FITTINGS



Safes & Locks

LOCKS



FURNITURE LOCKS



SAFES



SMART DEVICES



OVERVIEW

In today's fast-paced world, Ozone's shower enclosures offer a practical solution for transforming traditional tubs into modern shower spaces. These enclosures efficiently separates dry and wet areas, ensuring a quick, refreshing shower experience while keeping your bathroom clean and organized.

With designs ranging from sleek frameless to classic framed options, Ozone's shower solutions enhances your bathroom's style and functionality.

Why Choose Ozone Showers?

Slim Profiles:

Profiles ranging from 7mm to 16mm.

Color Consistency:

Premium quality hardware and fittings with no shade variation.

Low Maintenance:

Easy upkeep for a clean bathroom environment.

Customizable & Standard Options:

Tailor your enclosure to fit any space.

Diverse Range:

Variety of designs for different styles and layouts.

Built to Last:

Made from high-grade SS 304 and Aluminium.

At Ozone, we prioritize your needs and provide adaptable solutions to fit your lifestyle.

PRODUCT CONTENTS

SWING SHOWERS

SWING FRAMED

01 - 44



01 ASTER
SS 304*



02 GRACE
SS 304*



03 SLIM FRAME
SHOWER 4516



04 OUTLINER



05 RAY

SWING SEMI-FRAMED

45 - 72



06 CASCADE
SS 304*



07 ZEN
SS 304*



08 RAY

SWING FRAMELESS

73 - 98



09 ELIZA
SS 304*



10 ALURA
SS 304*

***Note:** Can be customized against lead time.

PRODUCT CONTENTS

SLIDING SHOWERS

SLIDING FRAMED

99 - 116



11 SLIM FRAME
SHOWER 4516



12 AXIS 4507



13 LINEA 4507

SLIDING SEMI-FRAMED

117 - 128



14 EAZY
SS 304*



15 CORAL

SLIDING FRAMELESS

129 - 140



16 ELIZA SL SC
SS 304*



17 ELIZA SL
SS 304*



18 ELIZA

SLIDE FOLD SHOWERS

SLIDE FOLD SEMI-FRAMED

141 - 148



19 LUMINA-11
SS 304*



20 LUMINA-22
SS 304*

SLIDE FOLD FRAMELESS


149 - 154



21 LUMINA-33
SS 304*

WALK-IN SHOWER CABIN

155 - 156



22 WALK-IN
SHOWER
CABIN

UTILITIES

157 - 158



SHOWER
SHELF



SHOWER
SEAT

HARDWARE & ACCESSORIES

159 - 160





Swing Framed Shower Enclosures

Experience timeless elegance and durability with our Swing Framed Shower Enclosures. Designed for those who value both style and strength, these enclosures feature solid framing that enhances stability while adding a classic touch to your bathroom. Ideal for any space, they bring an elevated aesthetic and reliable support to your shower area.

ASTER Series






Premium Stainless Steel 304 Shower Enclosure with Seamless Look

The Aster Shower Enclosure is designed to blend seamlessly into any bathroom. It offers a sleek, modern solution with concealed hardware that creates a clean, uncluttered look. This versatile enclosure suits both contemporary and classic interiors, elevating your bathroom style. Its standout feature - two-way door movement, allowing the door to open in both directions, ensuring easy access and enhanced convenience even in tighter spaces.


Features:

- Premium SS 304 hardware for durability and sturdiness
- Concealed hardware for a seamless appearance
- Two-way door movement for easy access
- Long-lasting PVD finish with no shade variation
- Floor mount SS threshold to separate dry and wet areas


Specifications:

				
Glass Thickness 10mm	Door Width 600-700mm	Door Height upto 2700mm	Versatile Configurations	SS 304 Material


Typology:



OZ-ASTER SW-180°
Linear 180°



OZ-ASTER SW-90°
Corner 90°



OZ-ASTER SW-T
Partition T-Type

Available Finishes*



Black Matt



Gun Grey



Brush Gold



Brush Rose
Gold



PSS

*Note:

- Uniform finish throughout the system (No shade variation).
- Customized against lead time.



ASTER

SS 304 Linear 180°

Product Code	MRP(₹)
OZ-ASTER SW-180°(1.6x2) GUNGREY	93,900
OZ-ASTER SW-180°(1.6x2.7) GUNGREY	1,26,800
OZ-ASTER SW-180°(1.6x2) PSS	81,700
OZ-ASTER SW-180°(1.6x2.7) PSS	1,10,300

Specifications:

- Glass Thickness : 10mm
- Max. Width : 1600mm
- Max. Height : 2700mm
- Frontal View : 16mm

Customized against lead time.

Two-Way Door Movement for Easy Access





ASTER

SS 304 Corner 90°

Product Code	MRP(₹)
OZ-ASTER SW-90° (1.6x2x1.3) GUNGREY	1,25,700
OZ-ASTER SW-90° (1.6x2.7x1.3) GUNGREY	1,69,700
OZ-ASTER SW-90° (1.6x2x1.3) PSS	1,09,300
OZ-ASTER SW-90° (1.6x2.7x1.3) PSS	1,47,500

Specifications:

- Glass Thickness : 10mm
- Max. Width : 1600mm
- Max. Depth : 1300mm
- Max. Height : 2700mm
- Frontal View : 16mm

Customized against lead time.

Two-Way Door Movement for Easy Access





ASTER

SS 304 Partition T-Type

Product Code	MRP(₹)
OZ-ASTER SW-T (2.6x2x1.2) GUNGREY	2,05,000
OZ-ASTER SW-T (2.6x2.7x1.2) GUNGREY	2,76,800
OZ-ASTER SW-T (2.6x2x1.2) PSS	1,78,300
OZ-ASTER SW-T (2.6x2.7x1.2) PSS	2,40,700

Specifications:

- Glass Thickness : 10mm
- Max. Width : 2600mm
- Max. Depth : 1200mm
- Max. Height : 2700mm
- Frontal View : 16mm

Customized against lead time.

Two-Way Door Movement for Easy Access



GRACE Series

Premium Stainless Steel 304 Shower Enclosure with Slim Profile






The Grace Shower Enclosure strikes the perfect balance between elegance and functionality. Its slim profile adds a refined touch to any bathroom. Its sleek design, highlighted by dual-tone hinges and handles, effortlessly complements your interior décor for a cohesive, stylish look.

Grace also features door seal technology to deflect water and prevent seepage between glass panels, ensuring a dry, clean bathroom environment.


Features:

- Premium hardware for durability and sturdiness
- Slim profile with dual-tone hinges and handles
- Long-lasting PVD finish with no shade variation
- Floor mount SS threshold to separate dry and wet areas
- Door seal to deflect water from penetrating between the glass


Specifications:

				
Glass Thickness 10mm	Door Width 600-700mm	Door Height upto 2400mm	Versatile Configurations	SS 304 Material


Typology:



OZ-GRACE-SW-180°
Linear 180°



OZ-GRACE-SW-90°
Corner 90°



OZ-GRACE-SW-T
Partition T-Type

Available Finishes*



Black Matt



Gun Grey



Brush Gold



Brush Rose
Gold



PSS

*Note:

- Uniform finish throughout the system (No shade variation).
- Customized against lead time.



GRACE

SS 304 Linear 180°

Product Code	MRP(₹)
OZ-GRACE-SW-180°(1.6x2) GUNGREY	1,23,700
OZ-GRACE-SW-180°(1.6x2.4) GUNGREY	1,48,400
OZ-GRACE-SW-180°(1.6x2) PSS	1,07,500
OZ-GRACE-SW-180°(1.6x2.4) PSS	1,29,100

Specifications:

- Glass Thickness : 10mm
- Max. Width : 1600mm
- Max. Height : 2400mm
- Frontal View : 20mm

Customized against lead time.

Dual-Tone Hinges & Handles



Drainage Tube





GRACE

SS 304 Corner 90°

Product Code	MRP(₹)
OZ-GRACE-SW-90°(1.6x2x1.3) GUNGREY	1,31,000
OZ-GRACE-SW-90°(1.6x2.4x1.3) GUNGREY	1,76,800
OZ-GRACE-SW-90°(1.6x2x1.3) PSS	1,13,900
OZ-GRACE-SW-90°(1.6x2.4x1.3) PSS	1,53,700

Specifications:

- Glass Thickness : 10mm
- Max. Width : 1600mm
- Max. Depth : 1300mm
- Max. Height : 2400mm
- Frontal View : 20mm

Customized against lead time.

Dual-Tone Hinges & Handles



Drainage Tube





GRACE

SS 304 Partition T-Type

Product Code	MRP(₹)
OZ-GRACE-SW-T (2.6x2x1.2) GUNGREY	2,60,600
OZ-GRACE-SW-T (2.6x2.4x1.2) GUNGREY	3,12,700
OZ-GRACE-SW-T (2.6x2x1.2) PSS	2,26,600
OZ-GRACE-SW-T (2.6x2.4x1.2) PSS	2,71,900

Specifications:

- Glass Thickness : 10mm
- Max. Width : 2600mm
- Max. Depth : 1200mm
- Max. Height : 2400mm
- Frontal View : 20mm

Customized against lead time.

Dual-Tone Hinges & Handles



Drainage Tube



SLIM FRAME Series




Premium Aluminium Shower Enclosure Swing Door

The Slim Frame Shower Enclosure enhances your bathroom's aesthetic with its refined style and luxurious features. Equipped with a pivot system for easy access & smooth operation. This sleek and modern design adds a touch of elegance to your daily routine.


Features:

- Door frame profile for 8mm glass
- Customizable door sizes
- Bottom threshold to separate dry & wet areas

Specifications:

				
Glass Thickness 8mm	Door Width 1200mm	Door Height upto 2800mm	Tested 3,00,000 Cycles	Weight Carrying Capacity

Typical Layout:



Available Finish



Black Matt



Pivoted Framed Shower Door System

Aluminium

Product Code	MRP(₹)
OSTF-SW1-HWC 2.9M BM	48,100 per set

Specifications:

- Glass Thickness : 8mm
- Max Width : 1200mm
- Max Height : 2800mm
- Frontal View : 16mm

Swing Door Lock
Coin-to-Knob



Swing Door Lock
Key-to-Knob



OUTLINER Series

Shower Enclosures with Impressive Height of Upto 2.5mtr.


The Outliner Shower Enclosure is designed to make a bold statement. Its impressive 2.5-metre height offers a sense of grandeur and spaciousness in your bathroom.

Ideal for those seeking an expansive shower experience, the Outliner enhances the overall ambiance and can be customized in various premium finishes to perfectly complement your interior style.


Features:

- Slim profile design
- Floor mounted threshold profile to separate dry and wet areas
- Magnetic closure for smooth, silent closing
- Customizable panel width and height
- Single-way movement


Specifications:




Typology:



OUTLINER EN-11
Linear 180°



OUTLINER EN-44
OUTLINER EN-55
Linear 180°



OUTLINER EN-22
OUTLINER EN-33
Linear 90°

Available Finishes*



Black Matt



Phantom
Grey



Tan Brass

*Note:

- Uniform finish throughout the system (No shade variation).
- Customized against lead time.



OUTLINER-11

Aluminium

Product Name

Framed Shower System 180° WTG - Single Door

Code	Length	Qty.	MRP (₹)
OZOT-ESD-P10 2.5M BM	1.8Mtr	1 Nos.	850
OZOT-HSP10 3M BM	3Mtr	1 Nos.	1,100
OZOT-HP-GKT BL	R/Mtr	3 Nos.	70
OZOT-TP1 2.5M BM	1.8Mtr	1 Nos.	750
OZOT-MP 2.5M BM	2.2Mtr	1 Nos.	3,650
OZOT-MP-WSP 2.5M BM	2.2Mtr	1 Nos.	2350
OZOT-CST 1.8M BM	1.8Mtr	1 Nos.	700


Specifications:

- Glass Thickness : 10mm
- Max Width : upto 700mm
- Max Height : upto 2500mm
- Frontal View : 15mm

Hinge



Towel Bar with Handle





OUTLINER-22

Aluminium

Product Name

Framed Shower System 90° - GTG - 90° Hinge

Code	Length	Qty.	MRP (₹)
OZOT-ESD-P10 2.5M BM	3Mtr	1 Nos.	850
OZOT-HSP10 2.5M BM	3Mtr	1 Nos.	950
OZOT-HP-GKT BL	R/Mtr	3 Nos.	70
OZOT-TP1 2.5M BM	2.2Mtr	4 Nos.	750
OZOT-BP2 2.5M BM	2.2Mtr	4 Nos.	1,100
OZOT-MP 2.5M BM	2.2Mtr	1 Nos.	3,650
OZOT-25T-ED 2.2 BM	2.2Mtr	2 Nos.	2,050
OZOT-CST 1.8M BM	1.8Mtr	1 Nos.	700
OZOT-25T-ED-90 STD BM	N/A	1 Nos.	900
OZOT-25T-ED-WB STD BM	N/A	2 Nos.	700

Specifications:

- Glass Thickness : 10mm
- Max Width : 1500mm
- Max Depth : 1000mm
- Max Height : 2100mm
- Frontal View : 15mm

Hinge



Towel Bar with Handle





OUTLINER-33

Aluminium

Product Name

Framed Shower System 90° - GTG - 180° Hinge

Code	Length	Qty.	MRP (₹)
OZOT-ESD-P10 2.5M BM	3Mtr	1 Nos.	850
OZOT-HSP10 2.5M BM	3Mtr	1 Nos.	950
OZOT-HP-GKT BL	R/Mtr	3 Nos.	70
OZOT-TP1 2.5M BM	2.2Mtr	4 Nos.	750
OZOT-BP2 2.5M BM	2.2Mtr	4 Nos.	1,100
OZOT-MP 2.5M BM	2.2Mtr	1 Nos.	3,650
OZOT-25T-ED 2.2 BM	2.2Mtr	2 Nos.	2,050
OZOT-CST 1.8M BM	1.8Mtr	1 Nos.	700
OZOT-25T-ED-90 STD BM	N/A	1 Nos.	900
OZOT-25T-ED-WB STD BM	N/A	2 Nos.	700

Specifications:

- Glass Thickness : 10mm
- Max Width : 1500mm
- Max Depth : 1000mm
- Max Height : 2100/2500mm
- Frontal View : 15mm

Available in 2mtr. & 2.5mtr.

Hinge



Towel Bar with Handle





OUTLINER-44

Aluminium

Product Name

Framed Shower System 180° - GTG - 180° Hinge

Code	Length	Qty.	MRP (₹)
OZOT-ESD-P10 2.5M BM	3Mtr	1 Nos.	850
OZOT-HSP10 2.5M BM	3Mtr	1 Nos.	950
OZOT-HP-GKT BL	R/Mtr	3 Nos.	70
OZOT-TP1 2.5M BM	2.2Mtr	4 Nos.	750
OZOT-BP2 2.5M BM	2.2Mtr	4 Nos.	1,100
OZOT-MP 2.5M BM	2.2Mtr	1 Nos.	3,650
OZOT-25T-ED 2.2 BM	2.2Mtr	2 Nos.	2,050
OZOT-CST 1.8M BM	1.8Mtr	1 Nos.	700
OZOT-25T-ED-WB STD BM	N/A	2 Nos.	700
OZOT-MP-WSP 2.5M BM	2.2Mtr	1 Nos.	2,350

Specifications:

- Glass Thickness : 10mm
- Max Width : 1500mm
- Max Height : 2100mm
- Frontal View : 15mm

Hinge



Towel Bar with Handle





OUTLINER-55

Aluminium

Product Name

Framed Shower System 180° - WTG

Code	Length	Qty.	MRP (₹)
OZOT-ESD-P10 2.5M BM	3Mtr	1 Nos.	850
OZOT-HSP10 2.5M BM	3Mtr	1 Nos.	950
OZOT-HP-GKT BL	R/Mtr	3 Nos.	70
OZOT-TP1 2.5M BM	2.2Mtr	4 Nos.	750
OZOT-BP2 2.5M BM	2.2Mtr	4 Nos.	1,100
OZOT-MP 2.5M BM	2.2Mtr	1 Nos.	3,650
OZOT-25T-ED 2.2 BM	2.2Mtr	2 Nos.	2,050
OZOT-CST 1.8M BM	1.8Mtr	1 Nos.	700
OZOT-25T-ED-WB STD BM	N/A	2 Nos.	700

Specifications:

- Glass Thickness : 10mm
- Max Width : 1500mm
- Max Height : 2200/2500mm
- Frontal View : 15mm

Available in 2.2mtr. & 2.5mtr.

Hinge



Towel Bar with Handle



RAY Series






Aluminium Shower Enclosure with Concealed Hinges

The Ray Shower Enclosure combines refined aesthetics with robust engineering. It features concealed hinges for a seamless, minimalist look. The 18mm panel width provides durability, while the magnetic lock and heavy-duty concealed hinges enhance security and style.


Features:

- Suitable for heights upto 3000mm
- Magnetic seal to separate dry and wet areas
- Heavy-duty concealed hinges
- Fixed panel width and height are customizable
- Installation-friendly design


Specifications:

				
Glass Thickness 8-10mm	Door Width (Openable) 750-800mm	Fixed Panel Width upto 900mm	Door Height 3000mm	Versatile Configurations


Typology:




OZ-RAY-SW-11
Linear 180°



OZ-RAY-SW-22
Corner 90°



OZ-RAY-SW-33
135°



OZ-RAY-SW-44
Partition T-Type

Available Finishes*



Black Matt



Brush Gold

*Note:

- Uniform finish throughout the system (No shade variation).
- Customized against lead time.



RAY

Aluminium Linear 180°

Product Code	MRP(₹)
OZ-RAY-SW-11 2x3M BM	1,16,700
OZ-RAY-SW-11 2x3M BRUSH GOLD	1,34,200

Specifications:

- Fixed Panel Width : Upto 900mm
- Door Width (Openable) : 750 - 800mm
- Max Height : 3000mm
- Panel Movement : Swing type
- Panel Opening : 90°
- Front View of Door Profile : 18mm
- Front View of Fixed Profile : 16mm

Concealed Magnetic Catcher



Towel Bar with Handle



Concealed Hinge





RAY

Aluminium Corner 90°

Product Code	MRP(₹)
OZ-RAY-SW-22 1.5x1x3M BM	1,42,500
OZ-RAY-SW-22 1.5x1x3M BRUSH GOLD	1,63,900

Specifications:

- Fixed Panel Width : Upto 900mm
- Door Width (Openable) : 750 - 800mm
- Max Height : 3000mm
- Panel Movement : Swing type
- Panel Opening : 90°
- Front View of Door Profile : 18mm
- Front View of Fixed Profile : 16mm

Concealed Magnetic Catcher



Towel Bar with Handle



Concealed Hinge





RAY

Aluminium 135°

Product Code	MRP(₹)
OZ-RAY-SW-33 1x0.8x1x3M BM	1,55,300
OZ-RAY-SW-33 1x0.8x1x3M BRUSH GOLD	1,78,100

Specifications:

- Fixed Panel Width : Upto 900mm
- Door Width (Openable) : 750 - 800mm
- Max Height : 3000mm
- Panel Movement : Swing type
- Panel Opening : 90°
- Front View of Door Profile : 18mm
- Front View of Fixed Profile : 16mm

Concealed Magnetic Catcher



Towel Bar with Handle



Concealed Hinge





RAY

Aluminium Partition T-Type

Product Code	MRP(₹)
OZ-RAY-SW-44 2.4x1.2x3M BM	2,32,200
OZ-RAY-SW-44 2.4x1.2x3M BRUSH GOLD	2,67,100

Specifications:

- Fixed Panel Width : 400 - 900mm
- Door Width (Openable) : 750 - 800mm
- Max Height : 1500 - 3000mm
- Panel Movement : Swing type
- Panel Opening : 90°
- Front View of Door Profile : 18mm
- Front View of Fixed Profile : 16mm

Concealed Magnetic Catcher



Towel Bar with Handle



Concealed Hinge







Swing Semi-Framed Shower Enclosures

For a contemporary take on shower design, our Swing Semi-Framed Shower Enclosures offer the perfect blend of modern minimalism and structural support. With reduced framing, these enclosures provide a sleek, open feel without sacrificing stability. Ideal for smaller bathrooms or those seeking a streamlined look, they combine function and style seamlessly.

CASCADE Series

Premium Stainless Steel 304 Shower Enclosure for Small Spaces

The Cascade Shower Enclosure is expertly crafted to maximize functionality in compact bathrooms without compromising style or comfort. Its sleek design optimizes space, making it perfect for urban living or any setting where space is a premium.


Features:

- Premium SS 304 hardware for durability and sturdiness
- Long-lasting PVD finish with no shade variation
- Floor mount SS threshold profile to separate dry and wet areas
- Ideal for compact bathrooms


Specifications:




Typology:



OZ-CASCADE SW-180°
Linear 180°



OZ-CASCADE SW-90°
Corner 90°



OZ-CASCADE SW-C
C-Type

Available Finishes*



Black Matt



Gun Grey



Brush Gold



Brush Rose
Gold



PSS

*Note:

- Uniform finish throughout the system (No shade variation).
- Customized against lead time.



CASCADE

SS 304 Linear 180°

Product Code	MRP(₹)
OZ-CASCADE SW-180° (1.6x2.2) GUNGREY	1,32,600
OZ-CASCADE SW-180° (1.6x2.2) PSS	1,32,600

Specifications:

- Glass Thickness : 8mm
- Max Width : 1600mm
- Max Height : 2200mm
- Frontal View : 15mm

Customized against lead time.

Slim Design Hinges



Towel Bar





CASCADE

SS 304 Corner 90°

Product Code	MRP(₹)
OZ-CASCADE SW-90°(1.2x2.2x0.8) GUNGREY	1,61,600
OZ-CASCADE SW-90°(1.8x2.2x1.2) GUNGREY	1,71,600
OZ-CASCADE SW-90°(1.2x2.2x0.8) PSS	1,40,500
OZ-CASCADE SW-90°(1.8x2.2x1.2) PSS	1,49,200

Specifications:

- Glass Thickness : 8mm
- Max Width : 1800mm
- Max Depth : 1200mm
- Max Height : 2200mm
- Frontal View : 15mm

Customized against lead time.

Slim Design Hinges



Towel Bar





CASCADE

SS 304 C-Type

Product Code	MRP(₹)
OZ-CASCADE SW-C (1x0.7x0.7x2.8) GUNGREY	1,77,400
OZ-CASCADE SW-C (1.8x1.4x1.4x2.8) GUNGREY	2,05,000
OZ-CASCADE SW-C (1x0.7x0.7x2.8) PSS	1,77,400
OZ-CASCADE SW-C (1.8x1.4x1.4x2.8) PSS	2,05,000

Specifications:

- Glass Thickness : 8mm
- Max Width : 1800mm
- Max Depth : 1400mm
- Max Height : 2800mm
- Frontal View : 15mm

Customized against lead time.

Slim Design Hinges



Towel Bar



ZEN Series

Premium Stainless Steel 304 Shower Enclosure with Dual-Side Handles & Square Hinges

The Zen Shower Enclosure combines functionality with modern design, featuring convenient dual-side handles. The exterior has a full-height handle for a striking vertical accent, while the interior includes a towel bar handle for added functionality. The square hinges provide a modern element, enhancing the minimalist design while offering strong support.


Features:

- Premium SS 304 hardware for durability and sturdiness
- Long-lasting PVD finish with no shade variation
- Floor mount SS threshold profile to separate dry and wet areas
- Dual-side handle for easy access
- Square hinges perfectly complementing your interiors


Specifications:




Typology:



OZ-ZEN SW-180°
Linear 180°



OZ-ZEN SW-90°
Corner 90°



OZ-ZEN SW-C
C-Type

Available Finishes*



Black Matt



Gun Grey



Brush Gold



Brush Rose
Gold



PSS

*Note:

- Uniform finish throughout the system (No shade variation).
- Customized against lead time.



ZEN

SS 304 Linear 180°

Product Code	MRP(₹)
OZ-ZEN SW-180°(1x2.6) GUNGREY	1,28,800
OZ-ZEN SW-180°(1.8x2.6) GUNGREY	1,34,700
OZ-ZEN SW-180°(1x2.6) PSS	1,12,000
OZ-ZEN SW-180°(1.8x2.6) PSS	1,17,100

Specifications:

- Glass Thickness : 8mm
- Max Width : 1800mm
- Max Height : 2600mm
- Frontal View : 15mm

Customized against lead time.

Minimal Square Hinges



Full Height
Exterior Handle



ZEN

SS 304 Corner 90°

Product Code	MRP(₹)
OZ-ZEN SW-90°(1x2.6x0.8) GUNGREY	1,18,000
OZ-ZEN SW-90°(1.8x2x1.2) GUNGREY	1,14,400
OZ-ZEN SW-90°(1.8x2.6x1.2) GUNGREY	1,44,500
OZ-ZEN SW-90°(1x2.6x0.8) PSS	1,18,000
OZ-ZEN SW-90°(1.8x2x1.2) PSS	1,14,400
OZ-ZEN SW-90°(1.8x2.6x1.2) PSS	1,25,600

Specifications:

- Glass Thickness : 8mm
- Max Width : 1800mm
- Max Depth : 1200mm
- Max Height : 2600mm
- Frontal View : 15mm

Customized against lead time.

Minimal Square Hinges



Full Height
Exterior Handle



ZEN

SS 304 Partition C-Type

Product Code	MRP(₹)
OZ-ZEN SW-C (1x0.7x0.7x2.8) GUNGREY	1,45,700
OZ-ZEN SW-C (1.8x1.4x1.4x2.8) GUNGREY	1,58,400
OZ-ZEN SW-C (1x0.7x0.7x2.8) PSS	1,45,700
OZ-ZEN SW-C (1.8x1.4x1.4x2.8) PSS	1,58,400

Specifications:

- Glass Thickness : 8mm
- Max Width : 1800mm
- Max Depth : 1400mm
- Max Height : 2800mm
- Frontal View : 15mm

Customized against lead time.

Minimal Square Hinges



Full Height
Exterior Handle

RAY Series






Aluminium Shower Enclosure with Rectangular Shaped Hinges

Enhance your bathroom design with the RAY Series Aluminium Shower Enclosure. With a semi-framed design featuring slim rectangular shaped hinges, it perfectly complements your interiors.


Features:

- Suitable for heights upto 3000mm
- Magnetic seal to separate dry and wet areas
- Rectangular shaped door hinges
- Fixed panel width and height are customizable
- Installation-friendly design


Specifications:

				
Glass Thickness 8-10mm	Door Width (Openable) 750-800mm	Fixed Panel Width upto 900mm	Door Height 3000mm	Versatile Configurations


Typology:




OZ-RAY-SW-111
Linear 180°



OZ-RAY-SW-222
Corner 90°



OZ-RAY-SW-333
135°



OZ-RAY-SW-444
Partition T-Type

Available Finishes*



Black Matt



Brush Gold



RAY

Aluminium Linear 180°

Product Code	MRP(₹)
OZ-RAY-SW-111 2.3x3M BM	73,300
OZ-RAY-SW-111 2.3x3M BRUSHED GOLD	84,300

Specifications:

- Fixed Panel Width : Upto 900mm
- Door Width (Openable) : 750 - 800mm
- Max Height : 3000mm
- Panel Movement : Swing type
- Panel Opening : 90°
- Front View of Fixed Profile : 16mm

Towel Bar with Handle



Hinge





RAY


Aluminium Corner 90°

Product Code	MRP(₹)
OZ-RAY-SW-222 1.5x1x3M BM	99,100
OZ-RAY-SW-222 1.5x1x3M BRUSHED GOLD	1,13,900

Specifications:

- Fixed Panel Width : Upto 900mm
- Door Width (Openable) : 750-800mm
- Max Height : 3000mm
- Panel Movement : Swing type
- Panel Opening : 90°
- Front View of Fixed Profile : 16mm

Towel Bar with Handle



Hinge







RAY

Aluminium 135°

Product Code	MRP(₹)
OZ-RAY-SW-333 1x0.8x1x3M BM	1,12,500
OZ-RAY-SW-333 1x0.8x1x3M BRUSHED GOLD	1,28,600

Specifications:

- Fixed Panel Width : Upto 900mm
- Door Width (Openable) : 750-800mm
- Max Height : 3000mm
- Panel Movement : Swing type
- Panel Opening : 90°
- Front View of Fixed Profile : 16mm

Towel Bar with Handle



Hinge





RAY

Aluminium Partition T-Type

Product Code	MRP(₹)
OZ-RAY-SW-444 2.4x1.2x3M BM	1,51,000
OZ-RAY-SW-444 2.4x1.2x3M BRUSHED GOLD	1,73,700

Specifications:

- Fixed Panel Width : 400 - 900mm
- Door Width (Openable) : 750 - 800mm
- Max Height : 3000mm
- Panel Movement : Swing type
- Panel Opening : 90°
- Front View of Fixed Profile : 16mm

Towel Bar with Handle



Hinge







Swing Frameless Shower Enclosures

Achieve a modern, minimalist look with our Swing Frameless Shower Enclosures. Designed to provide an open, airy feel, these enclosures are crafted without traditional framing, giving your bathroom a sleek and seamless appearance.

ELIZA Series






Premium SS 304 & Brass Shower Enclosure

The Eliza Swing Frameless Shower Enclosure combines sophistication and practicality, featuring a frameless design that adds a sleek, minimalist touch to your bathroom. Crafted from high-quality SS 304 stainless steel and brass, this enclosure offers both durability and luxury.


Features:

- Swing functionality for smooth and effortless door movement
- Frameless design for a clean, minimalist aesthetic
- Versatile configurations to suit your bathroom's layout and design


Specifications:

				
Glass Thickness 8-10mm	Door Height upto 2100mm	Versatile Configurations	SS 304 & Brass Material	Door Width upto 750mm


Typology:




ELIZA SW-11
ELIZA SW-11
Linear 180°



ELIZA SW-33
Corner 90°



ELIZA SW-44
135°



ELIZA SW-55
Partition T-Type

Available Finishes



Black Matt



GG-PVD



RGG-PVD



PSS



ELIZA

SS 304 Linear 180°

Product Code

ELIZA SW-11

Specifications:

- Glass Thickness : 8-10mm
- Max Height : 2100mm
- Max Width : 2000mm
- Max Weight : 35-40kg

Uniform finish throughout the system.
Ready to fit, available in stock.

Hinges



Towel Bar





ELIZA

SS 304 Linear 180°

Product Code

ELIZA SW-22

Specifications:

- Glass Thickness : 8-10mm
- Max Height : 2100mm
- Max Width : 1500mm
- Max Weight : 35-40kg

Uniform finish throughout the system.
Ready to fit, available in stock.

Hinges



Towel Bar





ELIZA

SS 304 Corner 90°

Product Code

ELIZA SW-33

Specifications:


- Glass Thickness : 8-10mm
- Max Height : 2100mm
- Max Depth : 1200mm
- Max Width : 1500mm
- Max Weight : 35-40kg

Uniform finish throughout the system.
Ready to fit, available in stock.

Hinges



Towel Bar







ELIZA

SS 304 135°

Product Code

ELIZA SW-44

Specifications:

- Glass Thickness : 8-10mm
- Max Height : 2100mm
- Max Weight : 40-45kg

Uniform finish throughout the system.
Ready to fit, available in stock.

Hinges



Towel Bar





ELIZA

SS 304 Partition T-Type

Product Code

ELIZA SW-55

Specifications:

- Glass Thickness : 8-10mm
- Max Height : 2100mm
- Max Depth : 1200mm
- Max Width : 2300mm
- Max Weight : 35-40kg

Uniform finish throughout the system.
Ready to fit, available in stock.

Hinges



Towel Bar



ELIZA 180°/90°/135°/T-TYPE**Hinges**

	Product Code	MRP(₹) per pc.
	OSSH-11-ED STD BM	2,700
	OSSH-11-ED STD PSS	2,450
	OSSH-11-ED STD ROSE-GOLD G-PVD	2,800
	OSSH-11-ED STD GOLD G-PVD	2,800
Wall-to-Glass Hinge		

	Product Code	MRP(₹) per pc.
	OSSH-22-ED STD BM	4,250
	OSSH-22-ED STD PSS	3,850
	OSSH-22-ED STD ROSE-GOLD G-PVD	4,450
	OSSH-22-ED STD GOLD G-PVD	4,450
Glass-to-Glass Hinge 180°		

	Product Code	MRP(₹) per pc.
	OSSH-33-ED STD BM	4,900
	OSSH-33-ED STD PSS	4,450
	OSSH-33-ED STD ROSE-GOLD G-PVD	5,100
	OSSH-33-ED STD GOLD G-PVD	5,100
Glass-to-Glass Hinge 135°		

	Product Code	MRP(₹) per pc.
	OSSH-44-ED STD BM	5,200
	OSSH-44-ED STD PSS	4,700
	OSSH-44-ED STD ROSE-GOLD G-PVD	5,400
	OSSH-44-ED STD GOLD G-PVD	5,400
Glass-to-Glass Hinge 90°		

	Product Code	MRP(₹) per pc.
	OSSH-55-ED STD BM	2,800
	OSSH-55-ED STD PSS	2,550
	OSSH-55-ED STD ROSE-GOLD G-PVD	2,950
	OSSH-55-ED STD GOLD G-PVD	2,950
Wall-to-Glass Bracket		

Connector

	Product Code	MRP(₹) per pc.
	OGC-111-ED STD PSS	1,150
	OGC-111-ED STD BM	1,300
	OGC-111-ED STD ROSE-GOLD G-PVD	1,350
	OGC-111-ED STD GOLD G-PVD	1,350
Wall/Floor-to-Glass Connector		

	Product Code	MRP(₹) per pc.
	OGC-222-ED STD PSS	1,650
	OGC-222-ED STD BM	1,800
Glass-to-Glass Connector 135°		

	Product Code	MRP(₹) per pc.
	OGC-333-ED STD PSS	1,500
	OGC-333-ED STD BM	1,650
	OGC-333-ED STD ROSE-GOLD G-PVD	1,750
Glass-to-Glass Connector 90°		

	Product Code	MRP(₹) per pc.
	OGC-444-ED STD PSS	1,200
	OGC-444-ED STD BM	1,350
	OGC-444-ED STD ROSE-GOLD G-PVD	1,400
	OGC-444-ED STD GOLD G-PVD	1,400
Wall-to-Glass Connector 90°		

	Product Code	MRP(₹) per pc.
	OGC-555-ED STD PSS	1,650
	OGC-555-ED STD BM	1,800
	OGC-555-ED STD ROSE-GOLD G-PVD	1,900
	OGC-555-ED STD GOLD G-PVD	1,900
Glass-to-Glass Connector 180°		

ELIZA 180°/90°/135°/T-TYPE

Track

	Product Code	MRP(₹) per pc.
	OSSKH-ACC-25T-ED 2M BM	3,000
	OSSKH-ACC-25T-ED 2M PSS	2,750
	OSSKH-ACC-25T-ED 2M PSS-PVD	3,000
	OSSKH-ACC-25T-ED 2M ROSE-GOLD G-PVD	3,150
	OSSKH-ACC-25T-ED 2M GOLD G-PVD	3,150

Connector Track

	Product Code	MRP(₹) per pc.
	OSSKH-ACC-25T-ED 1.65M PSS	2,350
	OSSKH-ACC-25T-ED 1.65M PSS-PVD	2,550
	OSSKH-ACC-25T-ED 1.65M GOLD G-PVD	3,400

Connector Track

	Product Code	MRP(₹) per pc.
	OSSKH-ACC-25T-ED 2.5M PSS-PVD	3,500
	OSSKH-ACC-25T-ED 2.5M ROSE-GOLD G-PVD	4,600
	OSSKH-ACC-25T-ED 2.5M GOLD G-PVD	4,600
	OSSKH-ACC-25T-ED 2.5M GOLD M-PVD	11,500

Connector Track

Towel Bar

	Product Code	MRP(₹) per pc.
	OGH-TB-1S STD PSS	5,900
	OGH-TB-1S STD BM	6,500
	OGH-TB-1S STD ROSE-GOLD G-PVD	6,800
	OGH-TB-1S STD G-PVD	6,800

Flattened Towel Bar with Knob

	Product Code	MRP(₹) per pc.
	OGH-TB-ED SQ PSS	3,300
	OGH-TB-ED SQ BM	3,650

Towel Bar with Square Pipe

	Product Code	MRP(₹) per pc.
	OGH-TB-ED STD PSS	3,300
	OGH-TB-ED STD BM	3,650
	OGH-TB-ED STD ROSE-GOLD G-PVD	3,800
	OGH-TB-ED STD GOLD G-PVD	3,800

Towel Bar with Handle

Knight Head Fittings

	Product Code	MRP(₹) per pc.
	OSSKH-1-ED STD PSS	650
	OSSKH-1-ED STD BM	700
	OSSKH-1-ED STD ROSE-GOLD G-PVD	750
	OSSKH-1-ED STD GOLD G-PVD	750

Wall-to-track Connector

Knight Head Fittings

	Product Code	MRP(₹) per pc.
	OSSKH-2-ED STD PSS	700
	OSSKH-2-ED STD BM	800
	OSSKH-2-ED STD ROSE-GOLD G-PVD	850
	OSSKH-2-ED STD GOLD G-PVD	850

Track-to-Glass Connector

	Product Code	MRP(₹) per pc.
	OSSKH-3-ED STD PSS	800
	OSSKH-3-ED STD BM	850
	OSSKH-3-ED STD ROSE-GOLD G-PVD	900
	OSSKH-3-ED STD GOLD G-PVD	900

Glass-to-track end Connector

ALURA Series


Premium SS 304 Shower Enclosure

The Alura Swing Frameless Shower Enclosure combines refined elegance with practical design. Its sleek, frameless structure creates a minimalist, open feel in your bathroom. The swing functionality provides smooth and easy access, while the compact hinges ensure flawless door movement with a streamlined look.


Features:

- Swing functionality for effortless door movement
- Frameless design for a clean, modern, and minimalist aesthetic
- Compact hinges provide a sleek look while ensuring smooth, reliable operation


Specifications:




Typology:



ALURA SW-11
Linear 180°



ALURA SW-22
Corner 90°




ALURA SW-33
135°

Available Finish



PSS



ALURA

SS 304 Linear 180°

Product Code

OZ-ALURA SW-11 1.5X2.1M PSS

Specifications:

- Glass Thickness : 8-10mm
- Max Height : 2100mm
- Max Weight : 35-40kg

Uniform finish throughout the system.
Ready to fit, available in stock.

Hinges





ALURA

SS 304 Corner 90°

Product Code

OZ-ALURA SW-22 1.5X1.2X2.1M PSS

Specifications:

- Glass Thickness : 8-10mm
- Max Height : 2100mm
- Max Weight : 35-40kg

Uniform finish throughout the system.
Ready to fit, available in stock.

Hinges





ALURA

SS 304 135°

Product Code

OZ-ALURA SW-33 0.7X0.7X0.7X2.1M PSS

Specifications:

- Glass Thickness : 8-10mm
- Max Height : 2100mm
- Max Weight : 35-40kg

Uniform finish throughout the system.
Ready to fit, available in stock.

Hinges



ALURA 180°/90°/135°

Shower Hinges for 6/8/10mm Glass



Product Code	MRP(₹) per pc.
OSSH-111-ED PSS	1,700

Glass Connector for Wall / Floor Mounting



Product Code	MRP(₹) per pc.
OSSH-222-ED PSS	2,650

Glass-to-Glass Hinge 180°



Product Code	MRP(₹) per pc.
OSSH-333-ED PSS	2,850

Wall-to-Glass Hinge 135°



Product Code	MRP(₹) per pc.
OSSH-444-ED PSS	3,000


Glass-to-Glass Hinge 90°



Product Code	MRP(₹) per pc.
OSSH-555-ED PSS	1,300

Wall-to-Glass Bracket

Glass Connector



Product Code	MRP(₹) per pc.
OGC-1 STD PSS	550

Wall-to-Glass Hinge



Product Code	MRP(₹) per pc.
OGC-2 STD PSS	850

Glass-to-Glass Connector 135°



Product Code	MRP(₹) per pc.
OGC-3 STD PSS	850

Glass-to-Glass Connector 90°



Product Code	MRP(₹) per pc.
OGC-4 STD PSS	800

Wall-to-Glass Connector 90°



Product Code	MRP(₹) per pc.
OGC-5 STD PSS	800

Glass-to-Glass Connector 180°



Product Code	MRP(₹) per pc.
OGC-111-ED STD PSS	1,150

Wall/Floor-to-Glass Connector



Product Code	MRP(₹) per pc.
OGC-222-ED STD PSS	1,650

Glass-to-Glass Connector 135°



Product Code	MRP(₹) per pc.
OGC-333-ED STD PSS	1,500

Glass-to-Glass Connector 90°



Product Code	MRP(₹) per pc.
OGC-444-ED STD PSS	1,200

Wall-to-Glass Connector 90°



Product Code	MRP(₹) per pc.
OGC-555-ED STD PSS	1,650

Glass-to-Glass Connector 180°

ALURA 180°/90°/135°

Knight Head Fittings

	Product Code	MRP(₹) per pc.
	OSSKH-1-ED STD PSS	650
Wall-to-Track Connector		

	Product Code	MRP(₹) per pc.
	OSSKH-2-ED STD PSS	700
Track-to-Glass Connector		

	Product Code	MRP(₹) per pc.
	OSSKH-3-ED STD PSS	800
Glass-to-Track End Connector		

	Product Code	MRP(₹) per pc.
	OSSKH-3-ED STD SSS	800
Glass-to-Track End Connector		

	Product Code	MRP(₹) per pc.
	OSSKH-3 STD PSS	800
Glass-to-Track End Connector		

	Product Code	MRP(₹) per pc.
	OSSKH-3 STD PSS	1,100
Glass-to-Track End Connector		


Track

	Product Code	MRP(₹) per pc.
	OSSKH-ACC-25T-ED 2M PSS	2,750
	OSSKH-ACC-25T-ED 1.65M PSS	2,350
	OSSKH-ACC-25T-ED 1M PSS	5,100
Connector Track		

	Product Code	MRP(₹) per pc.
	OSKH-ACC-19 2M PSS	2,000
	OSKH-ACC-19 3M PSS	2,950
Connector Track		

Towel Bar Handle

	Product Code	MRP(₹) per pc.
	OGH-TB-1S STD PSS	5,900
	OGH-TB-1S STD BM	6,500
	OGH-TB-1S STD ROSE-GOLD G-PVD	6,800
	OGH-TB-1S STD GOLDG-PVD	6,800
Flattened Towel Bar with Knob		

	Product Code	MRP(₹) per pc.
	OGH-TB-ED SQ PSS	3,300
	OGH-TB-ED SQ BM	3,650
Towel Bar with Square Pipe		

	Product Code	MRP(₹) per pc.
	OGH-TB-ED STD PSS	3,300
	OGH-TB-ED STD BM	3,650
	OGH-TB-ED STD ROSE-GOLD G-PVD	3,800
	OGH-TB-ED STD GOLD G-PVD	3,800
Towel Bar with Handle		

	Product Code	MRP(₹) per pc.
	OGH-TB-1 STD PSS	3,150
	OGH-TB-1 STD BM	3,450
	OGH-TB-1 STD ROSE-GOLD G-PVD	3,600
	OGH-TB-1 STD GOLD G-PVD	3,600
Towel Bar with Handle		





Sliding Framed Shower Enclosures

Our sliding framed shower enclosures bring timeless style and stability to your bathroom. The sturdy framing provides enhanced support, while the sliding doors offer easy access and a space-saving design, making them ideal for bathrooms of all sizes.

SLIM FRAME Series


Premium Aluminium Framed Sliding Shower System

The Slim Frame Series offers customizable shower solutions designed to prevent water spillage with its interlocking profile. The adjustable door height ensures flexibility for various spaces, while the optional threshold profile maintains a clear distinction between wet and dry areas. Ideal for modern bathrooms, the system features optional handles and customizable door panels for a personalized experience.


Features:

- Soft open & soft close mechanism
- Frontal view with a 16mm visible side
- Ceiling-mounted system
- No bottom track ensures a clear passage without obstruction
- Adjustment for door & fixed panel possible, even after installation
- Threshold profile optional for keeping dry and wet areas separate
- Tested upto 3,00,000 cycles
- Easy-to-fabricate
- Easy-to-install

Specifications:



Typical Layout:



Available Finishes:



*Note:

- Available on request.



SLIDING SHOWER SYSTEM (1+1)

Aluminium

Product Code	MRP(₹)
OSTF-SL-SH-SYS-1+1, 2.4MX3M BM	51,000
OSTF-SL-SH-SYS-1+1, 2.4MX3M VB-B	53,000
OSTF-SL-SH-SYS-1+1, 2.4MX3M RG-LX-B	53,000
OSTF-SL-SH-SYS-1+1, 2.4MX3M PHANTOM GREY	53,000
OSTF-SL-SH-SYS-1+1, 2.4MX3M TAN BRASS	53,000

Specifications:

- Door Configuration : 1 Fixed + 1 Sliding Door
- Glass Thickness : 8-10mm
- Frontal View : 16mm (4516)
- Top Track Length : 3.6mtr.
- Max. Width : 2400mm
- Max. Height : 3000mm

Uniform finish throughout the system.

Sliding Handle



Z Handle





SLIDING SHOWER SYSTEM (2+1)

Aluminium

Product Code	MRP(₹)
OSTF-SL-SH-SYS-2+1, 3.5MX3M BM	61,400
OSTF-SL-SH-SYS-2+1, 3.5MX3M VB-B	63,700
OSTF-SL-SH-SYS-2+1, 3.5MX3M RG-LX-B	63,700
OSTF-SL-SH-SYS-2+1, 3.5MX3M PHANTOM GREY	63,700
OSTF-SL-SH-SYS-2+1, 3.5MX3M TAN BRASS	63,700

Specifications:

- Door Configuration : 2 Fixed + 1 Sliding Door
- Glass Thickness : 8-10mm
- Frontal View : 16mm (4516)
- Top Track Length : 3.6mtr.
- Max. Width : 3500mm
- Max. Height : 3000mm

Uniform finish throughout the system.

Sliding Handle



Z Handle





SLIDING SHOWER SYSTEM (2+2)

Aluminium

Product Code	MRP(₹)
OSTF-SL-SH-SYS-2+2, 3.5MX3M BM	77,700
OSTF-SL-SH-SYS-2+2, 3.5MX3M VB-B	80,400
OSTF-SL-SH-SYS-2+2, 3.5MX3M RG-LX-B	80,400
OSTF-SL-SH-SYS-2+2, 3.5MX3M PHANTOM GREY	80,400
OSTF-SL-SH-SYS-2+2, 3.5MX3M TAN BRASS	80,400

Specifications:

- Door Configuration : 2 Fixed + 2 Sliding Door
- Glass Thickness : 8-10mm
- Frontal View : 16mm (4516)
- Top Track Length : 3.6mtr.
- Max. Width : 3500mm
- Max. Height : 3000mm

Uniform finish throughout the system.

Sliding Handle



Z Handle



SLIM FRAME Series


Axis Premium Aluminium Framed Sliding Shower System

The Axis 45x07 offers a functional, aesthetic solution with a 7mm visible side and beveled edges. The ceiling-mounted system eliminates the need for a bottom track, ensuring a clear, unobstructed passage. Adjustable doors and fixed panels allow flexibility even after installation, ensuring easy customization.


Features:

- Soft open & soft close mechanism
- Frontal view with a 7mm visible side with a beveled look
- Ceiling-mounted system
- No bottom track ensures a clear passage without obstruction
- Adjustment for door & fixed panel possible, even after installation
- Threshold profile optional for keeping dry and wet areas separate
- Tested upto 3,00,000 cycles
- Easy-to-fabricate
- Easy-to-install

Specifications:




Glass Thickness
8-10mm



Door Height
upto 3000mm

Typical Layout:



Available Finishes:



*Note:

- Available on request.



AXIS SLIM FRAME (4507) SLIDING SHOWER SYSTEM (1+1)

Aluminium

Product Code	MRP(₹)
OSTF7S-SL-SYS-1+1, 2.4Mx3M BM	49,500
OSTF7S-SL-SYS-1+1, 2.4Mx3M VB-B	51,400
OSTF7S-SL-SYS-1+1, 2.4Mx3M RG-LX-B	51,400
OSTF7S-SL-SYS-1+1, 2.4Mx3M PHANTOM GREY	51,400
OSTF7S-SL-SYS-1+1, 2.4Mx3M TAN BRASS	51,400

Specifications:

- Door Configuration : 1 Fixed + 1 Sliding Door
- Glass Thickness : 8-10mm
- Door Width : 1200mm
- Door Height : 3000mm
- Frontal View : 7mm (4507)
- Top Track Lengths : 3.65mtr.

Uniform finish throughout the system.



SLIM FRAME Series


Linea Premium Aluminium Framed Sliding Shower System

The Linea 45x07 shares many practical features with the Linea 45x07. It offers a sleek, minimalist design with the same 7mm visible side and beveled edges. The ceiling-mounted system, no bottom track, and easy adjustability make it a versatile option for any bathroom.


Features:

- Soft open & soft close mechanism
- Frontal view with a 7mm visible side with a bevel look
- Ceiling-mounted system
- No bottom track ensures a clear passage without obstruction
- Adjustment for door & fixed panel possible, even after installation
- Threshold profile optional for keeping dry and wet areas separate
- Tested upto 3,00,000 cycles
- Easy-to-fabricate
- Easy-to-install

Specifications:




Glass Thickness
8-10mm



Door Height
upto 3000mm

Typical Layout:



Available Finishes:



*Note:

- Available on request.



LINEA SLIM FRAME (4507) SLIDING SHOWER SYSTEM (1+1)

Aluminium

Product Code	MRP(₹)
OSTF7F-SL-SYS-1+1, 2.4Mx3M BM	49,500
OSTF7F-SL-SYS-1+1, 2.4Mx3M VB-B	51,400
OSTF7F-SL-SYS-1+1, 2.4Mx3M RG-LX-B	51,400
OSTF7F-SL-SYS-1+1, 2.4Mx3M PHANTOM GREY	51,400
OSTF7F-SL-SYS-1+1, 2.4Mx3M TAN BRASS	51,400

Specifications:

- Door Configuration : 1 Fixed + 1 Sliding Door
- Glass Thickness : 8-10mm
- Door Width : 1200mm
- Door Height : 3000mm
- Frontal View : 7mm (4507)
- Top Track Lengths : 3.65mtr.

Uniform finish throughout the system.







Sliding Semi-Framed Shower Enclosures

For those seeking a modern touch with subtle framing, our Sliding Semi-Framed Shower Enclosures offer the perfect balance of stability and style. With minimal framing around the edges, these enclosures provide structural support while maintaining an open, contemporary look.

EAZY Series


Premium SS 304 Shower Enclosure

The Eazy Series Shower Enclosure offers a seamless combination of durability, style, and functionality. With its sliding door mechanism, this enclosure provides easy access while maintaining a sleek, modern aesthetic. Designed for ease of installation, the Eazy Series ensures a hassle-free upgrade to your bathroom space.


Features:

- Sliding door functionality for smooth and efficient access
- Premium SS 304 hardware for enhanced durability and sturdiness
- Easy-to-install system for quick setup
- Customizable system width


Specifications:



Glass Thickness
8mm




Door Height
upto 2500mm




SS 304 Material

Typology:



EAZY SHOWER-11
Linear 180°



EAZY SHOWER-22
Corner 90°

Available Finishes



Black Matt



CP



EAZY SHOWER-11

SS 304

Product Code	MRP(₹)
OZSL-F22-180° L 2.5x2.5M BM	92,700
OZSL-F22-180° L 2.5x2.5M CP	84,300
OZSL-F22-180° R 2.5x2.5M CP/BM	99,200

Specifications:

- Door Configuration : 1 Fixed + 1 Sliding Door
- Glass Thickness : 8mm
- Door Height : 2500mm
- Door Weight : 45kg
- Track Length : 2500mm
- Standard Finishes : CP & BM

Uniform finish throughout the system.



EAZY SHOWER-22

SS 304

Product Code	MRP(₹)
OZSL-F22-90° L 2x2x2.5M CP/BM	94,800
OZSL-F22-90° R 2x2x2.5M CP/BM	94,800

Specifications:

- Door Configuration : 2 Fixed + 1 Sliding Door
- Glass Thickness : 8mm
- Door Height : 2500mm
- Door Weight : 45kg
- Track Length : 2000mm
- Standard Finishes : CP & BM

Uniform finish throughout the system.



CORAL* Series


Curved Design for Aesthetic Appeal & Space-Saving Functionality

The Coral Shower Enclosure seamlessly blends sleek, curved aesthetics with space-saving functionality, offering both style and practicality for your bathroom. Featuring a center-opening dual sliding shower door, the Coral ensures smooth and easy access while elevating the overall visual appeal of your bathroom space. Its smart design also optimizes space, making it an ideal choice for smaller or compact bathrooms.


Features:

- Center-opening dual sliding shower door for easy access
- Magnetic seal to securely lock the door and prevent water leakage
- Enhanced water containment to reduce splashing and keeping your bathroom dry
- Space-saving design
- Easy-to-install


Specifications:



Glass Thickness
6-8mm




Aluminium
Material



Door Height
upto 2000mm

***Note:** Product is available against order

Typology:



CORAL SL-11
Corner 90°

Available Finishes*



Black Matt



PSS



Gold

*Note:

- Uniform finish throughout the system (No shade variation).
- Customized against lead time.




CORAL SL-11

Curved Sliding Shower System

Product Code	MRP(₹)
OZ-CORAL-SL-11 1.2X1.2X2M BM	78,900
OZ-CORAL-SL-11 1.2X1.2X2M PSS	71,700
OZ-CORAL-SL-11 1.2X1.2X2M GOLD	82,500

Specifications:

- Door Configuration : 1 Fixed + 1 Sliding + 1 Sliding + 1 Fixed
- Max Width : 1200mm
- Max Depth : 1200mm
- Max Height : 2000mm
- Glass Thickness : 6-8mm
- Door Weight : 45kg





Sliding Frameless Shower Enclosures

With our sliding frameless shower enclosures, you can achieve ultimate sophistication and minimalist aesthetic. Featuring a frameless design, these enclosures provide a spacious, open feel that enhances the light flow and creates a luxurious, spa-like atmosphere.

ELIZA Series

Premium SS 304


Sliding Shower System

The ELIZA Series combines sophisticated functionality with modern design. This sliding shower system features a soft-close mechanism that ensures smooth and quiet operation, enhancing your bathroom experience. Crafted from premium SS 304, it offers exceptional durability and sturdiness.


Features:

- Soft-close sliding shower system for smooth, silent door movement
- SS 304 hardware for long-lasting durability and strength
- Sliding door functionality for space-saving design and easy access


Specifications:



Glass Thickness
8-10mm



Door Width
800mm




Door Height
upto 2100mm




SS 304
Material

Typology:



ELIZA SL SC
ELIZA SL (1+1)
ELIZA (1+1)
Linear 180°



ELIZA SL
Corner 90°

Available Finishes:



Black Matt



Antique Brass



PSS



CP



ELIZA SL SC

SS 304 Soft-Close

Product Code	MRP(₹)
OSL-ED-SYS-22SC 2M PSS	33,600
OSL-ED-SYS-22SC 2M BM	36,900
OSL-ED-SYS-22SC 2M ANTIQUE BRASS	38,600

Specifications:

- Door Configuration : 1 Fixed + 1 Sliding Door
- Glass Thickness : 8-10mm
- Door Width : 800mm
- Door Height : 2100mm
- Door Weight : 40-45kg

Uniform finish throughout the system.
Customizable size available in stock.

Available Finishes:




Black Matt



PSS



Antique Brass



ELIZA SL

SS 304

Product Code	MRP(₹)
OSL-ED-SYS-11 2M BM	24,000
OSL-ED-SYS-11 1.65M PSS	20,400
OSL-ED-SYS-11 2M PSS	21,800

Specifications:

- Door Configuration : 1 Fixed + 1 Sliding Door
- Glass Thickness : 8-10mm
- Door Width : 800mm
- Door Height : 2100mm
- Door Weight : 40-45kg

Uniform finish throughout the system.
Customizable size available in stock.


Available Finishes:



Black Matt



PSS



ELIZA

SS 304

Product Code	MRP(₹)
OSSL-SYS-90-1E 1.65Mx2 CP	28,300

Specifications:

- Door Configuration : 2 Fixed + 2 Sliding Door
- Glass Thickness : 8-10mm
- Door Width : 800mm
- Door Height : 2100mm
- Door Weight : 40-45kg

Uniform finish throughout the system.
Customizable size available in stock.

Available Finish:



PSS



ELIZA

SS 304

Product Code	MRP(₹)
OSSL-SYS-1E 3M CP	20,800

Specifications:

- Door Configuration : 1 Fixed + 1 Sliding Door
- Glass Thickness : 8-10mm
- Door Width : 800mm
- Door Height : 2200mm
- Door Weight : 40-45kg

Uniform finish throughout the system.
Customized against lead time.

Available Finish:



PSS





Slide Fold Semi-Framed Shower Enclosures

Our Slide-Fold Semi-Framed Shower Enclosures offer the perfect blend of style, space efficiency, and practicality. The innovative sliding and folding system allows for smooth door operation while minimizing space usage, making it ideal for smaller bathrooms or areas with limited space. The semi-framed structure provides stability, while the minimalist design ensures your bathroom looks sleek and modern.

LUMINA Series





Premium Stainless Steel 304 Sliding Folding Shower Enclosure

The LUMINA Sliding Folding Shower Enclosure offers an innovative solution for bathrooms with limited space. This space-saving system combines the convenience of both sliding and folding doors, making it ideal for compact areas while maintaining a sleek, modern aesthetic.


Features:

- Sliding and folding system for optimal space utilization
- Magnetic seal for secure door locking and water containment
- Bottom threshold to effectively separate dry and wet areas
- Customizable panel width to suit different space requirements
- Easy-to-install system for quick setup


Specifications:

			
Glass Thickness 8mm	Door Width 700-750mm	Door Height upto 2200mm	SS 304 Material

Typology:



LUMINA-11
Corner 90°



LUMINA-22
Linear 180°

Available Finishes:



Black Matt



PSS



LUMINA-11

SS 304

Product Code	MRP(₹)
OZ-FOLDING SHOWER 90° 1x1x2M BM	85,400
OZ-FOLDING SHOWER 90° 1x1x2M PSS	77,600

Specifications:

- Glass Thickness : 8mm
- Door Width : Up to 750mm
- Door Height : 2000mm
- Material : SS 304
- Door Weight : Up to 40kg
- Frontal View : 35mm

Uniform finish throughout the system.
Customizable width available in stock.

Half-Open



Full-Open



Hardware





LUMINA-22

SS 304

Product Code	MRP(₹)
OZSL-FOLDINGSHOWER 1.2x1.2x2.2M BM	68,900

Specifications:

- Glass Thickness : 8mm
- Max. Door Width : 700mm
- Max. Door Height : 2200mm
- Max. Depth : 1200mm
- Material : SS 304
- Door Weight : Up to 30-35kg
- Frontal View : 35mm

Uniform finish throughout the system.
Customizable width available in stock.

Half-Open



Full-Open



Towel Bar







Slide Fold Frameless Shower Enclosures

Our Slide-Fold Frameless Shower Enclosures combines elegance, space efficiency, and functionality. The sliding and folding doors are easy to use and save space, making them perfect for small bathrooms. The frameless design looks modern, giving your bathroom a stylish and contemporary feel.

LUMINA Series





Premium Stainless Steel 304 Sliding Folding Shower Enclosure

The LUMINA Sliding Folding Frameless Shower Enclosure combines sleek design with practical functionality. Featuring a 90° configuration and a space-saving sliding and folding system, it includes a shower seal to effortlessly separate dry and wet areas.


Features:

- Sliding and folding system for optimal space utilization
- Shower seal to keep dry and wet areas
- Customizable panel width for tailored solutions
- Easy-to-install

Specifications:

			
Glass Thickness 8mm	Door Width 1150mm	Door Height upto 2200mm	SS 304 Material

Typology:



LUMINA-33
Corner 90°

Available Finish



Black Matt



LUMINA-33

SS 304

Product Code	MRP(₹)
OZSL-FOLDINGSHOWER90° 1.2x1.2x2.2M BM	70,500

Specifications:

- Glass Thickness : 8mm
- Max. Door Width : 1150mm
- Max. Door Height : 2200mm
- Max. Depth : 1200mm
- Material : SS 304
- Door Weight : Up to 35-45kg
- Frontal View : 35mm

Uniform finish throughout the system.
Customizable width available in stock.

Half-Open



Full-Open



Towel Bar



WALK-IN SHOWER CABIN




A modern fixed-frame partition screen, ideal for those seeking an open shower design without enclosures. It separates the bath and WC areas, offering a sleek, functional, and water-efficient solution for contemporary bathrooms.



Glass
Thickness
8/10/12mm




Aluminium
Anodized



Black
Matt

Typical Layout



Specifications:

Standard Section : 45 x 22mm

Max. Partition Height : 3mtr

Max. Width : 1.5mtr

SHOWER SHELF



Shower Shelf

Organize your shower essentials effortlessly with our Shower Shelf, a slim and practical addition to your bathroom.

Key Features

- Fit for 8-10mm glass
- Aluminium shelves, wall profile, and seal ensure durability
- Customizable shelf configuration
- Three types of shelf plates

SHOWER SEATS



Shower Seats

Experience bathing comfortably with our Shower Seats, designed to provide ease and relaxation, especially for elderly individuals.

Key Features

- Space-saving design
- Comfort and accessibility
- Easy-to-install
- Various options available



OZ-SH-S01 STD WOOD ₹ 34,400

Wall Mount Folding up Chair
Bracket + Wooden Seat
Size: W 490 x D 410 x H 380



OZ-SH-S02 STD WHITE ₹ 27,000

Wall Mount Folding up Chair
with Supporting Leg in SS 304
PU Foam Seat
Size: W 410 x D 365 x H 100/475



OZ-SH-S03 STD WOOD ₹ 23,000

Wall Mount Folding up Seat
with Supporting Leg in SS 304
Bracket + Wooden Seat
Size: W 380 x D 310

HARDWARE & ACCESSORIES



HARDWARE & ACCESSORIES



Hinges



Glass Connectors



Wall-to-Track
Connectors



Reinforcement Bars



Door Handles



Towel Bar Handles



Shower Knight
Head Fittings



Top Tracks

International Offices



Dubai, UAE

OZONE MEA TRADING LLC
Office no 129, Al Uruba Business
center, garhoud views building,
mezzanine floor (M1-3) Al
Garhoud, PO Box 430704,
Dubai UAE.

Experience Centres

New Delhi

Mehrauli-Gurgaon Road,
Opp. Metro Pillar No-94,
Gadaipur, Sector-28,
New Delhi - 110030

Branch Offices

Ahmedabad

407, 4th Floor, Shivalik Abaise,
Opp. Shell Petrol Pump,
Pralhadnagar,
Ahmedabad - 380051
Tel: +91 079 29706789

Bengaluru

No. 424, 2nd Floor, Above
HDFC Bank,
Passport Office Road, 6th block,
Koramangala, Bengaluru - 560034
Tel: +91 80 41207539
blrhub@ozone-india.com

Chandigarh

SCO 907, NAC Mani Majra
Near Solitaire Hotel,
Chandigarh - 160101
Mob: +91 9316001154

Chennai

1-A, Jasoda Apartments,
No: 12, Ground Floor, Bank Street,
Kilpauk, Chennai - 600010.
Tel: 044 43802063

Cochin

Ozone Overseas Pvt Ltd.
Room No. BO, 1st Floor, G 142,
Street A, Panampilly Nagar,
Ernakulam 682036

*Also Operation Office

Works

Cluster-1

Ozone Overseas Pvt. Ltd.
Trilokpur Road, Kheri,
Nahan District-Sirmour,
Kala Amb,
Himachal Pradesh

Bengaluru

Building No. 62, Asha Pearl,
100 Feet Rd, Defence Colony,
Indiranagar, Bengaluru,
Karnataka 560038

Hyderabad

Unit # 704, 7th Floor,
Shangrila Plaza,
Road No. 2, Banjara Hills,
Hyderabad - 500034

Jaipur

27, 5th Floor, Mahima Trinity Mall,
Swey Farm, New Sanganer Road,
Jaipur-302019
Tel: +91 141 2294261
jaipurhub@ozone-india.com

Kolkata

4 Govt Place, 4th floor,
Room No:- 4H
Delta House. Kolkatta - 700001
Mob: +91 9831176481

Pune

#105, 1st Floor, Suyog Center
Market Yard, Gultekdi,
Pune - 411037
Mob: +91 7678117567

Cluster-2

Ozone Overseas Pvt. Ltd.
Industrial Area Ghiloth,
Alwar,
Rajasthan

Mohali

259-260, Ground Floor,
Mohali City Center-2, Block F,
SAS Nagar, Gmada Aerocity,
Sahibzada Ajit Singh Nagar,
Punjab 140306

Mumbai


The Avenue, 607,
Near Waterstones Hotel,
Int. Airport Road,
Marol, Andheri (E),
Mumbai - 400059
Tel : +91 22 28306453
Mob: +91 7045775977

Surat

201, Luxuria Business Hub,
Nr.V.R.Mall, Surat-Dumas Road,
New Magdalla Road,
Surat - 395007
Mob: +91 9724009921

Visakhapatnam

Door No 48-3-39, Sarayu Residency
Srinagar, Opp. Day and Night
Hospital, Visakhapatnam
A.P. 530016
Mob: +91 9515156438



Website



Android



iOS

Specifications are subject to change without any prior notice



Corporate Office: H-40, Bali Nagar, New Delhi - 110015, INDIA

www.ozone.in | Customer Care: +91 9310012300 | customercare@ozone.in